### PCT

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup>:

G06F 155/00, 161/00

A1

(11) International Publication Number: WO 96/00950

(43) International Publication Date: 11 January 1996 (11.01.96)

(21) International Application Number:

PCT/US95/08206

(22) International Filing Date:

28 June 1995 (28.06.95)

(30) Priority Data:

08/269,248 08/406,224 30 June 1994 (30.06.94)

16 March 1995 (16.03.95)

6,94) US .03,95) US

(71) Applicant: WALKER ASSET MANAGEMENT LIMITED PARTNERSHIP [US/US]; 125 Elm Street, New Canaan, CT 06840 (US).

(72) Inventors: WALKER, Jay; 124 Spectacle Lane, Ridgefield, CT 06877 (US). SCHNEIER, Bruce; 730 Fair Oaks Avenue, Oak Park, IL 60302 (US).


(74) Agents: ROTHSTEIN, Jesse et al.; Amster, Rothstein & Ebenstein, 90 Park Avenue, New York, NY 10016 (US).

(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KR, KZ, LK, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TT, UA, UG, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

#### Published

With international search report.

(54) Title: SECURE IMPROVED REMOTE GAMING SYSTEM



#### (57) Abstract

A remote gaming system whereby a player can gamble against a wagering establishment (16) or state-run lottery from a remote location on a personal computer or portable computer device (14) where it is unnecessary to establish an on-line connection with a host computer associated with the wagering establishment, the gaming computer having gaming software (22) for providing a wagering opportunity and enabling the player to obtain gambling credit and cash-out any winnings, the host computer (30) enabling the player to purchase and redeem gambling credit at the remote location using cryptographic protocols through a series of authenticatable message exchanges between the player and the establishment, the gaming computer and the host computer directly on-line, or the gaming computer having a detachable tamper-resistant or tamper-evident credit module associated therewith or for use with a personal computer being provided to the player with preloaded gambling credit.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

_		<b>6</b> 7	** ** 4 *** 4	MR	Mauritania
ΑT	Austria	GB	United Kingdom		*
ΑU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE ·	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	П	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SI	Slovenia
CI	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
CM	Cameroon	LI	Liechtenstein	SN	Senegal
CN	China	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	мс	Monaco	TT	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES		MG	Madagascar	US	United States of America
	Spain	ML	Mali	UZ	Uzbekistan
FI	Finland	MN	Mongolia	VN	Viet Nam
FR	France	MIL	Mongona	***	***********
GA	Gabon				

WO 96/00950

5

10

15

20

25

30

35

PCT/US95/08206

1

# SECURE IMPROVED REMOTE GAMING SYSTEM

This Application is a continuation-in-part of copending Application Serial No. 08/269,248, filed on June 30, 1994, which is a continuation-in-part of copending Application Serial No. 08/212,348, filed on March 11, 1994.

#### BACKGROUND

#### 1. Field of the Invention

The present invention relates generally to a remote gaming system, and more particularly, to a remote gaming system by which a player can wager on a plurality of games of chance and/or future public events of which the outcome is uncertain, offered by a casino, government lottery organization, or other wagering establishment.

## 2. Description of the Prior Art

In the past, a player wishing to wager on a game of chance such as those offered in a casino or on a public event of which the outcome is uncertain such as sporting events, had a limited number of options. order to wager on casino games such as roulette, blackjack, poker and the like, the player had to gaming establishment а physically travel to specifically engaged in such activities or to a location where stand-alone gambling devices such as video poker terminals or slot machines were available. Although public events such as horse races may be wagered on by telephone contact with an authorized "off-track betting" gaming establishment or its agent, such methods utilizing telephone contact have not been amenable to typical casino games.

As a result of advances in computer technology and telecommunications, remote gaming systems have been devised in which a player can participate in a plurality of games of chance being offered by a gambling establishment without having to be physically located on the premises. An example is found in U.S.

10

15

20

25

30

35

2

Patent Nos. 4,339,798 and 4,467,424, both to Hedges et The Hedges Patents disclose a remote gaming system wherein a player proceeds to gamble against the casino at a remote player station which includes a live game display to permit the player to engage in actual games of chance as they are being played in real-time at a croupier station comprised of one or more gaming tables in the casino. The player station includes a changeable keyboard communicating with a microprocessor for displaying a selected one of a plurality of wagering possibilities corresponding to a selected one of the plurality of games being played and for displaying the results of the game being played. The player becomes part of the game as if he or she were actually present at the gaming table in To provide a secure communications link, the casino. the remote gaming station communicates with the croupier station and a credit control station through an encryption/decryption device to prevent tampering by unauthorized sources.

While such a system provides a means by which a player can gamble from a remote location, its primary disadvantage resides in the fact that the player can gamble only by participating in games being actually conducted in the gaming establishment and monitored over real-time closed circuit video. Moreover, such a system has limited practicality since the player can only gamble on a specialized gaming station which must be electronically linked to the casino. therefore be highly desirable to provide a remote gaming system by which a player could engage in gambling on a gaming computer at a remote location at the player's convenience where the casino provides for casino redemption of purchase and notwithstanding the absence of any direct electronic communication link between the gaming computer and the casino.

PCT/US95/08206

5

10

15

20

25

30

35

7

#### SUMMARY OF THE INVENTION

Accordingly, it is an object of the present invention to provide a remote gaming system by which the player can wager on any one of a plurality of games of chance typically offered by a wagering establishment (e.g., a casino or whatever entity is offering to bet against the player) at the player's convenience.

It is another object of the present invention to provide a remote gaming system by which the player can wager against the wagering establishment on any one of a plurality of wagering opportunities such as games of chance generated by computer software installed or loaded on any personal computer.

It is a further object of the invention to provide a remote gaming system by which a player can wager against the wagering establishment on a conventional multi-media apparatus (e.g., a NINTENDO apparatus coupled to a television set) through compatible plug-in data storage media.

It is yet another object of the invention to provide a remote gaming system by which a player can purchase and redeem wagering credit from remote locations without the need for an on-line electronic communications link to be established between the player's gaming computer and the wagering establishment,

It is still another object of the invention to provide a remote gaming system by which a player can wager on any one of a plurality of games of chance generated by software installed or loaded on a dedicated gaming computer, including a hand-held portable device, which can be provided to the player, yet need not be electronically linked on-line to the wagering establishment for purposes of gambling, purchasing and redeeming gambling credit.

It is yet another object of the invention to

PCT/US95/08206

5

10

15

20

25

30

35

provide a remote gaming system wherein authenticatable messages communicated between, read and authenticated by a remote gaming computer, including a dedicated machine for wagering, a general-purpose game machine, a personal computer or personal digital assistant computing other device for any (PDA), wagering or the house with communicating and a host computer associated with establishment, the wagering establishment, either on-line (including wireless electronic communication hardware) or offelectronic or agent an with (orally but where no communications over the telephone, connection is necessary between the gaming computer and the wagering establishment), prevent unauthorized users from gaining access to or fraudulently obtaining

It is another object of the present invention to provide a remote gaming system in which a gaming computer and/or host computer associated with the wagering establishment restricts access to wagering opportunities by means of hardware or software for authenticating a personal identification number (PIN) or passphrase.

or redeeming gambling credit.

It is still another object of the present invention to provide a remote gaming system in which a gaming computer and/or host computer associated with the wagering establishment restricts access to wagering opportunities, using authentication from some external credit card, smart card, funds transfer system, digital cash system, or other payment system.

It is yet another object of the invention to provide a remote gaming system in which a gaming computer and/or host computer associated with the wagering establishment restricts access to wagering opportunities utilizing biometrics including, but not limited to, fingerprints, voiceprints, retinal-prints and the like.

10

15

20

25

. 30

35

5

It is still another object of the invention to provide a remote gaming system in which a gaming computer and/or host computer associated with the wagering establishment restricts access to wagering opportunities using a physical access token or physical key.

It is a further object of the invention to provide a remote gaming system in which a gaming computer and/or a host computer associated with the wagering wagering to restricts access establishment opportunities using authorization transferred from a remote system, whether or not that system is working provider of the agent or and opportunities.

It is another object of the invention to provide a remote gaming system in which a gaming computer and/or host computer associated with the wagering establishment, in addition to or in lieu of other security measures, restricts access to wagering opportunities by consulting an internal or external database having stored lists of banned and/or valid identification codes, including but not limited to EFT account numbers, userIDs, credit card account numbers, and the like.

It is a further object of the present invention to provide a remote gaming system which is made secure by incorporating cryptographic protocols or methods such as digital signatures, one-way hashes, zero-knowledge proofs, encryption, message-authentication codes, bit-commitment protocols and the like

It is a further object of the present invention to provide a remote gaming system which is made secure by utilizing internal checksums and audit sums.

It is another object of the invention to provide a remote gaming system which is made secure by using hardened "agents" of the "house", i.e., the wagering establishment, in the form of software and/or hardware

10

15

20

25

30

35

6

devices, humans, or any or all of these, in a remote or nearby location, or installed in or on a remote gaming computer.

It is still another object of the invention to provide a remote gaming system which is made secure by utilizing digital time stamping to generate authenticatable messages to be read and authenticated by a host computer associated with the wagering establishment for verification.

It is a further object of the invention to provide a remote gaming system which is made secure by incorporating secure timers, counters, running hashes or checksums, digital signatures, or other hidden values to frustrate attempts to defraud or tamper with the gaming software of data storage media associated with the gaming computer.

It is yet another object of the invention toprovide a remote gaming system which is made secure by employing batch communications between the gaming computer and the wagering establishment.

It is still another object of the invention to provide a remote gaming system in which a player receives a tamper-resistant or tamper-evident read/write device from the wagering establishment containing data storage media for dedicated gaming software which can be linked to or installed on any personal computer, yet is inspectable by the wagering establishment to prevent unauthorized manipulation of, or alteration to, the software.

It is still another object of the invention to provide a remote gaming system in which the gaming and/or banking software is embodied in data storage media such as, for example, a computer disk, where the unique magnetic signature of that disk is readable by the gaming computer as an authenticatable message for authentication by the gaming computer and/or the wagering establishment host computer to make

10

15

20

25

30

35

7

unauthorized duplication of the disk or alteration to data on the disk detectable by the wagering establishment.

It is still another object of the invention to provide a remote gaming system by which a player can wager on future public or external events of which the outcome is uncertain such as a lottery, either through an on-line connection between a gaming computer and the wagering establishment, or off-line where the generate time-stamped to player's wager is authenticatable message, representing the player's choice of wagering elements (i.e., numbers) for a given lottery event (occurring at some time in the future) and, including, at least one of a date/time player's authenticated time message, or computer/software identification and code, identification code.

It is yet another object of the invention to provide a remote gaming system by which a player can obtain and redeem wagering credit from the wagering establishment embodied in tamper-resistant or tamper-evident data memory media which interface with a remote gaming computer.

It is still another object of the invention to provide a remote gaming system by which a completely self-contained, dedicated gambling personal digital assistant may be obtained with a preprogrammed and/or predetermined amount of non-renewable credit embodied in gaming software installed on or loadable into the digital assistant.

It is a further object of the invention to provide a remote gaming system by which a player can engage in a game of skill (e.g., a crossword puzzle) residing in software installed on a dedicated gambling personal digital assistant having a preprogrammed and/or predetermined amount of non-renewable gambling credit.

It is yet another object of the invention to

10

15

20

25

30

35

۶

provide a remote gaming system in which winnings and collection on losses may be authorized by means of a digital cash protocol.

It is a further object of the invention to provide a remote gaming system in which payment of winnings and collection on losses is authorized by means of an electronic funds transfer mechanism.

It is still another object of the invention to provide a remote gaming system in which payment of winnings and collection on losses is authorized by means of a credit card authorization mechanism.

It is yet another object of the invention to provide a remote gaming system in which payment of winnings and collection on losses is authorized through the wagering establishment or its agents through communication between a remote gaming computer and a host computer associated with the wagering establishment.

It is still another object of the invention to provide a remote gaming system in which winnings and collection on losses are paid directly in currency form.

It is a further object of the invention to provide a remote gaming system in which all gambling credit is loaded into a gaming computer by the wagering establishment or its agent(s) prior to providing the player with the gaming computer.

It is still another object of the invention to provide a remote gaming system in which a premium application enables a player who purchases a product such as a computer, or software on data storage media, to win something as determined by the output of a gaming program embedded within such product.

It is yet another object of the invention to provide a remote gaming system by which a player wagering at a remote location is subject to predetermined limitations on winnings by a wagering

10

15

20

25

30

35

PCT/US95/08206

9

establishment.

In accordance with the above objects and other objects which will become apparent hereinafter, the present invention provides a remote gaming system which enables a player to gamble against a wagering establishment using a gaming computer at a remote The gaming computer may or may not be "on-line", to a host electronically linked, i.e., computer associated with the wagering establishment The term "wagering while gambling takes place. establishment" as used herein is intended to include authorized agents or other parties which act on behalf of the wagering establishment to implement the gaming The term "host computer" includes a single device, multiple devices and/or computer networks and The gaming computer can be any personal systems. computer, hand-held computer device (e.g., a personal digital assistant), or multi-media apparatus which functions as the gaming computer (e.g., a NINTENDO or like apparatus), and may or may not be a dedicated provided by the gambling computer Ιf provided by the wagering establishment. establishment, the gaming computer can be preloaded with gaming software. If the gaming computer is a conventional personal computer, the gaming software is either preinstalled on a secure data storage media device, e.g. a hard disk, CD-ROM, etc., or module provided by the wagering establishment, or installed directly on the gaming computer by the player.

The gaming software includes a game program and a banking program. The game program generates a plurality of games of chance typically offered by the wagering establishment, e.g., blackjack, roulette, craps, poker, slots, etc., games of skill or makes available wagering on external events or future public events of which the outcome is uncertain, e.g., a lottery. The banking program provides for the

10

15

20

25

30

35

10

purchase or loading of gambling credit into a banking file from the wagering establishment to enable gambling, and increments or decrements the player's account balance to enable the player to cash-out any gambling winnings. The term "gambling credit" as used herein, means purchased credit, accumulated gambling winnings, collection on losses and the like. The gaming software may also include an audit program which records the outcome of each wager and the data communicated between the player and the wagering establishment as read, authenticated and /or generated by the gaming computer in order to effect gambling, and the purchase and redemption of gambling credit.

The wagering establishment has a host computer with software containing a banking program which enables players to purchase, accumulate and redeem gambling credit at remote locations, even if no online communications exist with the gaming computer, and an audit program for recording such transactions. This may be accomplished, in one preferred embodiment of the invention, by communicating a plurality of authenticatable messages between the gaming computer and the host computer, which messages are respectively read and authenticated by each device, either through oral communications between the player wagering establishment, e.g., such as via an automated public telephone network having interactive voice capabilities using a touch-tone phone. "authenticatable", and "authenticate" as disclosed and claimed herein include cryptographic protocols such as encryption and decryption, digital signatures, one-way hashes, checksums and the like. The utilization of authenticatable messages is one way to prevent a third party or a verified player from gaining unauthorized then attempting system and to the fraudulently obtain or redeem gambling credit and/or tamper with the game program to produce altered

10

15

20

25

30

35

11

wagering opportunities having only a Alternatively, gambling credit outcome. "built-in" or preinstalled on a tamper-evident or installation tamper-resistant module for conventional personal computer, or pre-installed on a dedicated gaming computer provided by the wagering In the off-line embodiment, establishment. automated public telephone network or "agent" associated with the host computer of the wagering establishment, but it is not necessary to have a direct electronic on-line connection between the gaming computer and the host computer.

If the gaming computer is networked to the host computer, the connection may or may not serve to regulate or control the simulation of casino games on the gaming computer by the gaming software. For example, the connection may serve to have the host computer keep a record or audit-trail of all or selected activities taking place at the gaming computer for purposes of additional verification or security. Alternatively, the connection may be of a controlled nature to vary the odds of a given wager based upon any of a variety of factors such as gambling duration or a progressively increasing jackpot (e.g., in a slot machine simulation). In such on-line embodiment, security and player verification can be obtained by utilizing a standalone secure message generation and authentication device, such as, for example, an encryption/decryption unit of the type commonly employed in making wireless money transfers. device generates This authenticatable verification code based upon the user's personal identification code and possibly a second code provided to the user from the host computer or stored in the stand-alone authentication device to prevent an unauthorized user from obtaining on-line access upon having stolen a user's personal

PCT/US95/08206

WO 96/00950

5

10

15

20

25

30

35

12

identification code.

At all times, each wager by the player generates an electronic audit-trail on the gaming computer, the host computer and/or on any networked computers by recording the amount of each wager, the outcome of gambling event and any resulting gambling earnings or losses, in an authenticatable message or a series of messages which are read and authenticated by the host computer and/or the gaming computer. financial resolution of each wager is cumulatively tracked by the software on the gaming computer and perhaps also on any networked computers, so that the player is able to constantly monitor his or her gambling wagering credit balance with the establishment.

A player gambles in substantially the same way he or she does in a casino. The player chooses which games to play as presented by the gaming software, the amount of each wager and the length of time each game is played. The player may remain active over several different gaming sessions which may take place at several different times and/or places. The player may at any time place wagers which are for practice only which do not affect the player's gambling credit As an option, the player's gambling credit balance may be transferred and stored on data storage media which can be installed on other computers where software has been, or can be, installed to recognize the player's gambling credit balance. The player may then continue to wager on any of such other computers. Whenever the player wishes to cash-out his or her credit, redemption from the wagering gambling establishment may be implemented by contacting the wagering establishment by telephone in an "off-line" embodiment, either through an automated telephone network with voice capabilities, or a live agent, or by communicating on-line in an "on-line" embodiment.

PCT/US95/08206

5

10

15

20

25

30

35

In one embodiment described above, when the player desires to cash out, a series of authenticatable messages are exchanged with the host computer, such as orally through an automated telephone network, or are transmitted electronically on-line by conventional means in the on-line embodiment. In the off-line these authenticatable messages embodiment, generated by the gaming computer software and the host computer software, and communicated between and read host computer gaming computer and authentication to verify the player's identity and authenticity of the player's gambling credit account prior to cashing-out gambling credit. In the on-line device or software embodiment, a stand-alone associated with the gaming computer generates an authenticatable log-on or confirmation message for Alternatively, verification by the host computer. where the gaming computer itself, e.g., a personal digital assistant, is provided to the player by the wagering establishment, it or a tamper-resistant or tamper-evident plug-in module may be physically returned to the wagering establishment for credit redemption. The module includes data-storage media preferably disposed in an inspectable tamper-resistant or tamper-evident casing which can be examined by the wagering establishment for any indication tampering. Such gambling credit can be redeemed from the wagering establishment in any of a variety of forms of payment including, but not limited to, cash,

#### BRIEF DESCRIPTION OF THE DRAWINGS

wagering establishment.

bank-wire transfers, credits or some other form of payment mutually agreed to by the player and the

FIG. 1A is a schematic view of the remote gaming system in a first off-line embodiment;

FIG. 1B is a schematic view of the remote gaming system in a second off-line embodiment;

10

15

20

25

30

35

PCT/US95/08206

WO 96/00950

14

FIG. 1C is a schematic view of the remote gaming system in a third off-line embodiment;

FIG. 2 is a schematic view of the remote gaming system in an on-line embodiment;

FIG. 3 is a schematic view of a gaming computer connected to a tamper-resistant or tamper-evident read/write data storage media device provided by the wagering establishment;

FIG. 4 is a flowchart of the start-up and registration sequence in the off-line embodiment;

FIG. 5 is a flowchart of the handshake recognition sequence in the off-line embodiment;

FIG. 6 is a flowchart of the purchase credit sequence in the off-line embodiment;

FIG. 7A is a flowchart of the wagering sequence for games of chance generated by the game program in the off-line embodiment;

FIG. 7B-1-2 is a flowchart of the wagering sequence for an off-line non-registered lottery system embodiment;

FIG. 7C-1-5 is a flowchart of the wagering sequence in an off-line registered lottery system embodiment;

FIG. 8 is a flowchart of the credit cash-out sequence in the off-line embodiment;

FIG. 9 is a flowchart of the registration and start-up sequence in the on-line embodiment;

FIG. 10 is the purchase credit sequence in the on-line embodiment;

FIG. 11 is a flowchart of the wagering sequence in the on-line embodiment;

FIG. 12 is a flowchart of the credit cash-out sequence in the on-line embodiment;

FIG. 13 is a schematic of a memory chip made secure by an external tamper-resistant or tamper-evident structure;

FIG. 14 is a schematic of a first means for

10

15

20

25

30

35

PCT/US95/08206

15

verifying the integrity of the gaming software;

FIG. 15A is a schematic of a second means for verifying the integrity of the gaming software;

FIG. 15B is a schematic of a third means for verifying the integrity of the gaming software;

FIG. 15C is a schematic of a fourth means for verifying the integrity of the gaming software; and

FIG. 15D is a schematic of a fifth means for verifying the integrity of the gaming software.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

With reference to the several views of the drawings, there is depicted a remote gaming system generally characterized by the reference numeral 10 by which a player 12 with access to a computer 14 ("the gaming computer") wagers on a plurality of games of chance, or on future public events where the outcome of such events is uncertain, offered by a casino, government lottery organization or other wagering establishment 16. For convenience, these and any authorized agent thereof will be generally referred to hereinafter as "the wagering establishment."

Referring now to FIG. 1A, the player 12 has access to gaming computer 14 having a video display 18 and a keyboard 20. The gaming computer 14 can be a personal home computer, lap-top, or hand-held personal digital assistant device, which may or may not be a dedicated gaming apparatus provided by wagering establishment or may be a multi-media apparatus, NINTENDO or similar device for use with a television or the like. The gaming computer 14 can be located at wagering establishment 16 or some the establishment, e.g., a lottery ticket vendor, or off-site at a remote location. A gaming computer 14 which is located at the wagering establishment 16 can still be classified as "remote" in the context of the invention claimed herein. In this regard, it is anticipated that a casino could provide players, in

10

15

20

25

30

35

16

for example the hotel where the casino is located, with a dedicated gaming computer 14 which could be used to gamble either within or outside of the primary physical boundaries of the casino. A advantage of providing the player 12 with a wagering establishment-furnished gaming computer 14 is greater specifically with regard to unauthorized access to the data storage media such as a computer disk drive or module more difficult. Moreover, in a dedicated gaming computer, the keyboard 20 can be customized with specialized function keys e.g., keys dedicated identifying commands, blackjack might have indicia stating "stand", "purchase insurance", etc., which the player selects to proceed to gamble on the various games of chance, games of skill or future events of which the the wagering . uncertain, offered by is establishment 16. Gaming computer 14 operates special gaming software 22 comprised of a game program 24, a banking program 26 and optionally, an audit program Gaming software 22 can be preinstalled on a dedicated gaming computer 14 provided by the wagering establishment 16, preinstalled in an external tamper-resistant or tamper-evident read/write data apparatus 28 provided by media establishment 16 which interfaces with a personal computer functioning as the gaming computer 14 as shown in FIG. 3, or installed directly on the personal computer by the player 12. Furthermore, the gaming software 22 may be made available to the player 12 in a tamper-resistant or tamper-evident plug-in module for use with a conventional personal computer or multi-media apparatus which functions as the gaming described computer 14. to be in more hereinbelow.

It is critical that the wagering establishment 16 be able to determine if the software itself or data

10

15

20

25

30

35

associated therewith was copied, tampered with or in any way altered, otherwise an unscrupulous player 12 could make a plurality of copies and keep playing with identical disks until such time that one of the copied disks produced a favorable outcome, or the player 12 could alter the software itself in an attempt to control the outcome, the winnings or losses, or a combination thereof, i.e., a dishonest player 12 modifies the software code of the gaming software 22 in such a way as to make the software generate a winning outcome more frequently than chance would dictate (e.g., in a roulette simulation, causing the roulette wheel to land on a more favorable number more frequently). This could be achieved by replacing the software in its entirety or by modifying certain code lines or software instructions of the program, either physically or by some other externally applied influence such as high-intensity electromagnetic Of course, the most radiation, e.g., an RF field. secure system is an on-line arrangement where the gaming software 74 resides in a host computer 30 associated with and/or on the premises of the wagering The most difficult security establishment (FIG. 2). issues with regard to tampering arise in embodiments where the wagering establishment 16 provides the player 12 with software for use on a remotely disposed gaming computer 14 or with a dedicated gaming computer 14 itself (e.g., a PDA). In this connection, the present invention provides a variety of means for ensuring that system security and integrity are not compromised.

In one application, software can be provided which instructs the gaming computer 14 to read the unique magnetic characteristics, i.e., "fingerprint," of the specific disk or data storage media on which gaming software 22 is made available for installation, for the purpose of creating a unique authenticatable

15

20

25

30

35

18

message to be read and authenticated by the wagering the to reveal establishment 16 to establishment 16 any unauthorized duplication of, or tampering with, data on that disk or data storage media. Alternatively, a plug-in device can interface with the gaming computer disk drive to read a portion magnetic unique acquire the disk to wagering characteristics disk, or the the establishment 16 can utilize the same hardware and/or software to obtain this magnetic signature and keep this information on file for use at some future time should tampering be suspected, or as a prerequisite to authorizing any gambling functions to a specific player 12, e.g., this data can be registered with or required by the wagering establishment 16 prior to allowing the player 12 to cash-out any gambling winnings.

In another embodiment shown schematically in FIG. the gaming software 22 resides on a tamperresistant or tamper-evident chip 23 disposed within or otherwise associated with the gaming computer 14, i.e., where a dedicated device is provided by the wagering establishment 16, or otherwise connected to the gaming computer 14, e.g., a secure, external disk drive connected to a conventional personal computer. The chip 23 can be situated within a physical casing 84 which is isolated and unaccessible from any external data port connection. In an exemplary embodiment, the chip 23 can be housed within special seals, insulation, wrapping, or the like 86, which can be inspected by the wagering establishment 16 to reveal whether any authorized attempts were made to remove, alter or otherwise tamper with the chip 23. Thus, the wagering establishment 16 can readily ascertain if the player tampered with the gaming software and, if such tampering is discovered, it can deny such player any claimed winnings and/or future

10

15

20

25

30

35

19

gambling credit.

In yet another embodiment shown schematically in FIG. 14, unique mathematical attributes can be derived from certain characteristics of the software code in To perform such a test, the a self-test process. characteristics of the code are kept secret and are known only to the wagering establishment 16 by using checksums, one-way hashes and other cryptographic protocols, including, for example, a check-digit type algorithm based upon the sum of the bits located in certain parts of the program, for example, lines 476 through 655 of the code as shown. Alternatively, the self-test can verify special codes which are embedded within the software or code instructions in some predetermined random manner known only to the wagering establishment 16.

In a variation of the above shown schematically in FIG. 15A, external keys known only to the wagering establishment 16 can be applied to intermittently or continuously verify whether the software code has been or is being tampered with, by causing altered software to malfunction and shut down the gaming application in the computer 14. The use of external keys may or may not employ cryptographic protocols such as encryption to safequard against their being somehow forged by the This can be implemented in several ways, player 12. including, but not limited to: (1) broadcasting a continuous or intermittent authenticatable message, such as an encoded or encrypted external signal, e.g., RF, from the wagering establishment 16, which is received by receiving means 88 operably associated with the gaming computer 14, where such signals are subsequently authenticated by the gaming computer 14, converted into the appropriate form and used by the gaming software 22 to verify or enable the same (FIG. 15B); (2) having the player 12 physically enter a message on an intermittent basis (FIG. 15C); or (3)

10

15

20

25

30

35

PCT/US95/08206

internally generated clock an utilizing tamper-resistant hardened, furnished by clock 89 (FIG. 15D). In this tamper-evident connection, the chip 23, or even the gaming computer 14 (if provided by the wagering establishment 16), may be shielded from electromagnetic interference (EMI) by conventional methods to prevent unauthorized attempts to influence the gaming software with externally generated electromagnetic radiation.

20

Aside from the use of external keys, the gaming software 22 can be made to require the acquisition of data from an external source in order to function. For example, а wireless broadcast authenticatable message comprised of random numbers and/or alphanumeric data (possibly encrypted) might be accessed by the gaming software 22 such that these random numbers are called upon by the program as a basis to select and/or generate a wagering outcome in a predictable or unpredictable manner. Such external input may be incorporated into a hardened, tamperresistant or tamper-evident plug-in device or module, which interfaces with the gaming computer 14.

Another way to prevent fraudulent attempts to alter the gaming software 22, is through the use of an audit program 27 which can only be accessed by the wagering establishment 16. To prevent a forged audit trail, the audit program 37 might, by way of example, create dozens or even hundreds of data strings (e.g., such as in a roulette simulation, data strings corresponding to spins of the roulette wheel each time the wheel is spun), where all such data is then recorded for future verification should the wagering establishment 16 suspect tampering with the gaming software 22.

It will be appreciated by persons skilled in the art that the gaming software 22 can be arranged such that a message or data-string of alphanumeric codes,

10

15

20

25

30

35

21

which are either preloaded into each gaming computer 14, or provided on a disk or plug-in uncopyable module, can be used to discover any tampering with the software, disk or module by the player 12. connection, the code sequence can be made different for each gaming computer 14 or module, and copies of such codes can be kept on file by the wagering establishment 16. These codes may be used to provide the basis for generating a random outcome of each gaming event, and can thereby provide evidence of tampering. In other words, a specific arrangement of codes might correspond to a certain outcome of a wagering event (e.g., the Roulette wheel lands on Even though these codes are known to the wagering establishment 16, they are sequenced to ensure a random outcome - something which could be verified by an independent third party. If a player 12 seeks to modify the gaming software, the altered software instructions and/or codes could be discovered upon comparison of the same with the originals on file with, and known only to, the wagering establishment 16.

As another means of preventing player fraud, an element of "double-randomness" can be implemented by requiring the player 12 to press a button for each selection or desired response on the gaming computer 14 twice, with the time interval between selections (i.e., in milliseconds) used to address and enable a specific preprogrammed random outcome codified in corresponding software codes.

The game program 24 permits player 12 to wager on any one of a plurality of wagering opportunities, including games of chance, future public or external events where the outcome is uncertain or games of skill, e.g., a crossword puzzle. The games of chance are generated on gaming computer 14 by game program 24 in accordance with conventional techniques and

10

15

20

25

30

35

22

include, but are not limited to, common casino wagering activities such as blackjack, craps, roulette, poker, slots and the like. Each game offers opportunities for the player 12 to place wagers on one or more various wagering elements within a given wagering event depending upon the rules applicable to that game. This will be described in more detail below.

Game program 24 can be made to accept wagers on future public or external events where the outcomes of such events are uncertain as in, for example, sporting events such as a football game or a boxing match, or a state-run or other lottery. This can be implemented by establishing communications, either orally via a public telephone network, or electronically, with the wagering establishment 16 in order to place, register The wager is placed on the gaming . and confirm bets. computer 14, which, through the gaming software 22 produces a message for registration with the wagering establishment 16. This message is then time stamped wagering establishment 16 to authenticatable message, which authenticatable message authenticated only by the establishment 16, using appropriate software instructions or hardware to lock in the bet or fix the time of the wager for the purpose of ascertaining the proper payoff. This implementation will be described in detail below. Similarly, games of skill such as a crossword puzzle can be verified through the use of an authenticated date/time message which fixes the time of completion of the game, such that prizes are later awarded based upon the first player to complete that game.

The banking program 26 enables the player 12 to wager with available gambling credit and "cash-out" any gambling winnings. In certain embodiments, the banking program 26 facilitates the purchase of credit

10

15

20

25

30

35

PCT/US95/08206

23

from the wagering establishment 16 where such credit is "loaded" into an appropriate datafile in the gaming computer in the form of an authenticatable message or a series of authenticatable messages. Alternatively, as shown in FIG. 1C, the banking program can receive gambling credit electronically, such as from an electronic card reader 91 compatible with credit or debit cards 93 in a conventional manner, or by downloading the credit from a plug-in tamper resistant or tamper-evident credit module 90.

As one way of ensuring security in the credit purchase/redemption process, the banking program 26 or a dedicated authentication device provides for the authenticatable authentication and generation of such for example, an messages, as, encryption/decryption apparatus utilizing an encryption and decryption algorithm of the type known in the art, e.g., public-key, to encrypt and decrypt alphanumeric messages exchanged between the player 12 and the wagering establishment 16 which are input to, communicated between and generated by the gaming computer 14 and the host computer 30. These messages can be communicated between the player 12 and the wagering establishment 16, including its authorized "agent" 38 through a public telephone network 40. term "agent" is intended to include an automated telephone or like system having interactive voice capabilities, which generates computerized instructions communicated to the player 12 over the phone to prompt the player 12 to communicate responses to the wagering establishment 16 by pressing the appropriate numbers or symbols on the touch-tone phone 36 by conventional methods which are well known.

The host computer 30 has gaming software 33 operably associated therewith, which software includes a banking program 35 and an audit program 37. The host computer 30 either includes or communicates with

10

15

20

25

30

35

24

a dedicated device or software 39 for generating and authenticatable messages authenticating cryptographic protocols with keys or secret algorithms known only to the wagering establishment 16. In this manner, the wagering establishment 16 enables a verified player 12 to purchase and redeem gambling credit at the remote location, notwithstanding the wagering on-line link to the any of 30 computer and/or the host establishment 16 associated with the wagering establishment 16. sequence of steps in the illustrative embodiment required to purchase and cash-out gambling credit by exchanging and authenticating authenticatable messages off-line are described in greater detail below.

In the usual course of practicing the invention, FIG. 4 depicts a flowchart of a representative start-up and registration sequence in an off-line embodiment which must occur prior to wagering. Player 12 first registers various personal information with establishment 16 and obtains wagering the alphanumeric personal identification message or code The wagering establishment 16 provides player 12 with gaming software 22 containing a game program 24, a banking program 26, and an audit program 27 as associated software described having an above, or code 34. identification message software 22 may be independently tested, verified and . provided on data storage media in a sealed envelope by a third party. Such data storage media can include a hard disk, floppy disk, CD-ROM and the like. establishment 16 then provides an wagering alphanumeric start-up identification message or code 33 which the player 12 enters into the gaming computer to run the gaming software 22. Optionally, the gaming computer 14 may utilize biometrics including, but not limited to, fingerprints, voiceprints, retinal-prints and the like, using an appropriate chip or recognition

10

15

20

25

30

35

PCT/US95/08206

software, to deny access to any unauthorized user. Such hardware and/or software is known in the art.

25

The gaming software 22 is programmed to prompt the 12 with an inquiry as to whether a current player session is for practice or to place a wager. a practice session, the game program 24 generates a plurality of game choices and a confirmation that the games are being played for practice only. player 12 chooses to engage in gambling, the banking program 26 will permit actual wagering to the extent that there is sufficient gambling credit available in the player's account to cover all bets. If there is insufficient gambling credit, the player contact the wagering establishment 16 and go through the purchase credit sequence described below. noted above, the gaming computer 14 may or may not be on-line with the wagering establishment computer 30. If gaming computer 14 is off-line, greater flexibility in terms of being able to engage in gambling at virtually any location is possible. As discussed above, a series of authenticatable messages are communicated between the player 12 and the wagering establishment 16 permit credit purchase and redemption at a remote location to be governed by the wagering establishment 16 notwithstanding the absence of an online link between the gaming computer 14 and the host computer 30. Alternatively, gaming computer 14 can be networked on-line to the host computer 30 through a public telephone network 29 such that host computer 30 monitors and controls all or part of the activities taking place on the remote gaming computer 14 (see FIG. 2).

In the off-line embodiment shown in FIG. 1, the player 12 places a call to the wagering establishment 16 by way of telephone 36 and communicates via the public telephone network 40 to obtain or redeem gambling credit. If player 12 already has credit,

10

15

20

25

30

35

PCT/US95/08206

gaming software 22 will permit wagering on any of the games of chance, future or external events or games of skill, provided by game program 24 upon receiving player 12's appropriate personal identification message 32. If player 12 requires credit to play, the wagering establishment 16 must be contacted and the following series of steps are followed for the purpose of verifying the player's identity and confirming that the player is utilizing gaming software 22 registered to his or her personal identification message 32.

wagering contacts the player 12 Whenever establishment 16, he or she goes through what is referred to as a handshake recognition sequence, the verification of the player's identity with In this regard, wagering establishment 16. depicted in the flowchart of FIG. 5, player 12 first calls the wagering establishment 16 on telephone 36. The wagering establishment 16 queries player 12 for his or her unique personal identification message 32 and software identification message 34. These are provided to the wagering establishment 16, and are read by and authenticated by the host computer 30, which in turn generates an authenticatable handshake message 42 which is provided to player 12 for entry into gaming computer 14. Gaming computer 14 reads and authenticates handshake message 42 and then generates an authenticatable recognition response message 44 which is provided to the wagering establishment 16. reads and authenticates host computer 30 recognition response message 44 to verify the player 12's identity and to confirm that the specific gaming software 22 is registered to that player 12. verified player 12 then proceeds with appropriate interaction by the wagering establishment 16.

FIG. 6 is a flowchart depicting a first embodiment of a purchase credit sequence in the off-line embodiment. Player 12 first contacts the wagering

10

15

20

25

30

35

PCT/US95/08206

her or establishes his 16 and establishment identification through the handshake sequence depicted The host computer 30 in FIG. 5 and described above. program authenticatable banking generates an activation message 46, and the wagering establishment 16 provides the activation message 46 to the player 12 for the purpose of allowing player 12 to access the credit purchasing/redemption function of the banking Player 12 then program 26 in gaming computer 14. enters the amount of gambling credit requested, and the authentication software 29 combines the personal identification message 32 and software identification message 34 to generate an authenticatable credit request message 48, which embodies the numeric value of the amount of gambling credit requested and is unique to player 12 and his or her gaming software 22. The player 12 communicates the credit request message 48 to the wagering establishment 16, where the host computer 30 reads and authenticates the credit request message 48 to reveal the amount of credit requested by The amount of gambling credit the player 12. requested is confirmed with the player 12. wagering establishment 16 then decides whether or not provide all or part of the gambling credit requested. If the credit request is denied, player 12 is given an authenticatable reactivation message 50 which is read and authenticated by gaming computer 14 to enable player 12 to continue wagering with any available gambling credit balance. Alternatively, the player 12 has the option to cash-out any gambling winnings in accordance with the sequence depicted in FIG. 8 and described below. If the credit request is partially or fully granted, the process continues for wagering credit the of gambling the amount establishment 16 is willing to sell to the player 12. The host computer 30 generates an authenticatable new credit message 52 which is provided to player 12 for

10

15

20

25

30

35

PCT/US95/08206

the purposes of loading a pending amount of credit requested into the player's gaming computer 14 via the banking program 26 of the gambling software 22. gaming computer 14 reads and authenticates the new credit message 52 and displays the exact amount of new credit added to player 12's available gambling credit The amount of new gambling credit is shown to player 12 as pending, but is not yet available for use. Banking program 26 then instructs authentication software 29 to generate an authenticatable credit pending message 54 which is based in part on the monetary value of the new credits pending. The player 12 communicates this credit pending message 54 to the wagering establishment 16 where it is read authenticated by the host computer 30 to positively and irrefutably verify that the specific amount of gambling credit requested was properly loaded into player 12's banking program 26. The host computer 30 then generates an authenticatable credit release This credit release message 56 is message 56. provided to the player 12, and then read and authenticated by the gaming computer 14 to release the amount of pending gambling credit in banking program The gaming computer generates an authenticatable credit release verification message 58 which the player 12 provides to the wagering establishment 16. The host computer 30 then reads and authenticates the . credit release verification message 58 and in turn generates an authenticatable program reactivation message 60. The reactivation message communicated to the player 12, and thereafter read and authenticated by the gaming computer 14 to enable the game program 24. Simultaneously or subsequently, the wagering establishment 16 charges the player 12 for

the value of gambling credit purchased in a manner mutually agreed upon by the player and the wagering establishment 16. For example, a credit card may be

10

15

20

25

30

35

charged, a bank transfer authorized, or some other form of payment or delayed payment may be made to the casino in exchange for the credits purchased. any point during this process one or more of the various authenticatable messages do not match those expected by the respective authentication software and/or hardware associated with the gaming computer 14 and the host computer 30, the player 12 is denied access to the banking program and associated gambling credit, and the gaming software 22 in such cases is disabled until the dispute is resolved. manner, the correct generation and authentication of each of the various messages communicated between the and the host computer gaming computer 14 positively confirms the amount, value and authenticity of gambling credit obtained by or made available to the player 12.

It will be appreciated that gambling credit can also be furnished to the player 12 in predetermined amounts and/or preinstalled on a dedicated gaming computer 14, e.g., a personal digital assistant, the wagering establishment by provided Alternatively, the player 12 can obtain a disk or module 90 having a specified amount of authorized credit which is then "loaded" into the banking program 26 associated with the gaming computer 14 to enable wagering to the extent of the available gambling Alternatively, as shown in FIG. 1C, credit balance. the player 12 can obtain gambling credit using his or her own credit card 93, either through oral or electronic communications with the wagering establishment 16, or via an electronic card-reader apparatus 91 connected to the credit card issuing bank 95 in the conventional manner.

Once the player 12 has obtained gambling credit, he or she may place wagers by selecting wagering elements within various wagering events in any one of

10

15

20

25

30

35

30

a plurality of games of chance offered by the game program 24 of gaming software 22. Each game provides opportunities for player 12 to place wagers on one or more various wagering elements within a given wagering event depending upon the rules applicable to that game. As an example, the casino game of roulette involves a series of wagering events based upon the outcome of a random number selected by a ball spun within a roulette wheel. Each spin of the wheel is a single wagering event. Within that event, the player 12 may bet on many different wagering elements such as red and black colors, single numbers, groups of numbers and the like. All wagers for each event are placed prior to the spin of the wheel.

FIG. 7A is a flowchart depicting the wagering sequence for games of chance created by the game program 24 which proceeds as follows. The player 12 first makes the appropriate selections on the gaming computer 14 to enter the game program 24 of the gaming software 22, and then chooses a particular game on The player 12 can wager on one or which to wager. more events within the game as described above. game program 24 prompts the player 12 to confirm the placement of wagers made and the total amounts of Such wagers may be withdrawn or wagers entered. modified until such time as they are confirmed. Confirmation is typically made by having the player 12 enter a confirmation message 62 prior to closing of all bets. The confirmation message 62 is generated by the gaming software 24, and can be made different for every wager for security reasons. It can be a simple one or two digit alphanumeric message which is read and used by the game program 24 to confirm that each bet placed for any wagering event was, in fact, what was intended by the player 12 and not placed in error. The game program 24 can be set up such that the confirmation message 62 may be simplified further to

10

15

20

25

30

35

PCT/US95/08206

a single key stroke in certain highly repetitive games such as, for example, slots, or when the total value of all wagers falls below a certain predetermined level. After confirmation message 62 has been entered by player 12, the game program 24, in accordance with the rules of a given casino game, generates a specific outcome for a given wagerable event (e.g., cards are The game program 24 dealt, the wheel is spun, etc.). determines the outcome of each wager placed (win, lose or draw), calculates and then displays the proposed correct payoff for that wager on the gaming computer The player 12 has the option to type in a yes/no message to accept the payoff outcome of all wagers or to dispute any payoff which the player 12 believes to be incorrect in some fashion. Any dispute can be handled by suspending the wagering process and calling the wagering authority 16 to resolve the matter by of some other means bу telephone resolution. Once the player 12 accepts the resolution of a given wagering event, the correct amount of gambling credit is added or subtracted from player 12's gambling credit balance by the banking program Player 12 can then begin the wagering process all over again on a subsequent wagering event, or choose to end the gambling session. At any time, the player 12 may select a review mode in the game program 24, and can review the amount and resolution of each and every wager made by the player 12 and the results of such wagers in chronological order. At any time, the player 12 can choose to redeem or cash-out all or part of the balance of gambling credit stored in banking program 26 through a credit cash-out sequence. desired, the game program 24 may contain special built-in instructions to place limitations on winnings at the discretion of the wagering establishment. is also anticipated that such gaming software 22 could be embedded in another product, such as in a computer

10

15

20

25

30

35

WO 96/00950 PCT/US95/08206

32

or other software, to provide a premium application which enables the purchaser of unrelated products to win something as governed by such an embedded program (e.g., a cash prize awarded).

FIGS. 7B-7C are flowcharts of wagering sequences for future public events of which the outcome is uncertain, such as a lottery, in the off-line With regard to the following discussion embodiment. and appended claims with respect to lotteries, the wagering establishment will be hereinafter identified as a "lottery authority" for clarity. To participate in a lottery, the player 12 selects a particular lottery event, i.e., a drawing, generated by the game program 24 on which to wager. The gaming computer 14 then generates a lottery "ticket" layout unique to the specific lottery and the player selects the desired wagering elements (i.e., numbers).

There are two types of exemplary lotteries described herein, the first classified as an instant type analogous to common scratch-off tickets, and the second characterized as future or external events of which the outcome is uncertain, i.e., a drawing takes It will be appreciated by the persons skilled in the art that a remote gaming arrangement whereby the player 12 participates in a lottery can be classified as either: (1) a non-registration system (by which the player wagers independently of the . lottery authority 16 and where the wager need not be registered with the lottery authority since the gaming software 22 or some other software or associated with the gaming computer 14 provides a time-stamping the means of wager); (2) registration system (by which the player 12 chooses the wagering elements on the remote gaming computer 14, but then must contact the lottery authority 16 in order to "register" the wager). In the case of instant lotteries, verification of the date/time

PCT/US95/08206

the wager is not important, since, by definition, the essentially instantaneous output of the game program 24 determines the outcome. On the other hand, in lotteries based upon future events, the date and time of the wager is critical in a non-registration 5 embodiment. A non-registration embodiment is depicted in FIG. 7B, and the wagering sequence associated therewith proceeds in the following manner. player 12 logs onto the lottery application in the gaming computer 14 with his or her unique personal 10 identification message 204, which has been preassigned by the lottery authority 16 with whom the player 12 In this regard, an external has preregistered. such a s apparatus authentication encryption/decryption device 82, depicted in FIG. 2 15 and described in more detail below, can be used to prevent minors from accessing the lottery program. for additional device can also employ, fingerprint, biometrics such as verification, voiceprint or retinal-print recognition hardware 20 and/or software. The player 12 then selects a specific lottery to play (e.g., Lotto), and selects the desired wagering elements 206 in a conventional manner, which choice(s) may be confirmed upon the The gaming player receiving a suitable prompt. 25 computer 14 then generates an authenticatable ticket the selected message 208 representing elements 206, and uses a hardened, tamper-proof or tamper-resistant clock to generate an authenticatable 30 date/time message 210. This ticket message 208 may include a personal identification message 204 and/or software identification message 212. message 208 is stored in the gaming computer 14 and be read and authenticated only by the host computer 30 associated with the lottery authority for 35 If desired, a physical verification. representing the player's choice of wagering elements

10

15

20

25

30

35

34

as embodied in the authenticatable ticket message 208 can be printed out by conventional printing means associated with the gaming computer 14. This procedure may be repeated as many times as necessary to participate in multiple lottery events or to chose wagering elements for a single event. arrangement allows wagering to take place independent The authenticatable from the lottery authority 16. date/time message 210 ensures that the player 12 cannot tamper with the wager "after the fact", i.e., after the drawing, the player cannot modify the numbers selected to produce a "winning ticket." cash-out, the player 12 provides the authenticatable ticket message 208 to the lottery authority 16 and the host computer 30 reads and authenticates the ticket message 208 to reveal the selected wagering elements and the date/time of the wager. Winnings are then awarded in a conventional manner. It is anticipated that large payoffs will require that the player 12 physically return the gaming computer 14, if provided thereby, or any detachable data memory media, to the lottery authority 16 to enable inspection for any indication of tampering.

FIG. 7C depicts a registration sequence whereby the player 12 registers his or her lottery choice(s) with the lottery authority 16 prior to a lottery When the player 12 is ready to do so, the drawing. lottery authority 16 is called through a public telephone network. The player 12 then enters his or her unique PIN message 204, either by pressing the appropriate keys on the telephone pad, on the gaming computer 14 (if these are placed on-line in either a temporary or permanent connection), or by speaking the selections through the telephone for acquisition by a voice recognition program of the type known in the For additional verification, the player 12 can computer software asked enter а or

5

10

15

20

25

30

35

35

identification message 212. The lottery authority 16 then requests that the player 12 choose from a menu of lotteries which are still open for wagering, make the desired selection(s), and indicate the method of payment. In certain applications, gambling credit can be preinstalled on the gaming computer 14 or module 90, as described above, in which case such credit can be included and represented in the authenticatable ticket message 208. Normally, the ticket-message 208 registration be authenticatable а in embodiment (i.e., it merely represents the choice of If the ticket message wagering elements). authenticatable, it is then read and authenticated with a means known only to the lottery authority 16. This ensures and verifies that a valid lottery selection and sufficient credit were entered. lottery authority 16 may confirm the transaction by reading back the wagering elements embodied in the After the lottery authority 16 accepts the message. it generates a registration ticket message 208, message 218 (authenticatable or non-authenticatable) which embodies the ticket message 208 and a current i.e., date/time message 220, authenticatable The registration message 218 can be provided to the player 12 and is stored by the lottery authority 16 in the host computer 30 for The lottery authority 16 can then prompt reference. the player to confirm the wager by entering a simple yes/no response. If desired, the lottery authority 16 can impose a limit on the number of wagers per player or per given time period and reject wagers exceeding Optionally, the player 12 may obtain set amounts. printed ticket receipts which include the registration message 218 from the gaming computer 14. The wagering process may be repeated for each "ticket" registered. When he or she is finished, the player 12 simply hangs up or terminates the connection with the lottery

15

20

25

30

35

WO 96/00950 PCT/US95/08206

36

authority 16. After the lottery drawing or process, the lottery authority 16 compares any winning numbers against all registered tickets in accordance with conventional practice. If the prize is below a specific threshold (e.g., \$100), then such prize can be credited to the player's account or credit card, or, if above a certain threshold, payouts can be made in a conventional manner.

In general, there are several ways by which the player 12 can cash-out winnings when such winnings are embodied or stored in the gaming computer 14. FIG. 8A is a flowchart diagram of the credit cash-out sequence in a first off-line embodiment. Player 12 first goes through the handshake sequence depicted in FIG. 5 and described Once player 12's identity above. confirmed, the wagering establishment 16 provides the player 12 with an authenticatable banking activation The player 12 then activates banking program 26 and enters the banking activation message 64, which is read and authenticated by the gaming computer 14 to access the banking purchasing/redemption function. Player 12 then enters the amount of gambling credit he or she wants to cash-out into banking program 26. The amount to be cashed-out is placed by the banking program 26 into a cash-out pending field. The player's banking program 26 then generates an authenticatable credit cash-out message 66 which the player 12 provides to wagering establishment 16. The host computer 30 reads and authenticates the credit cash-out message 66 to reveal the amount of credit that the player 12 is requesting be cashed out, which amount is confirmed to the player 12 by wagering establishment 16. The host computer 30 then generates authenticatable an cash-out acknowledgment message 68 and provides this message to Player 12 enters the cash-out acknowledgment message 68 into gaming computer 14

10

15

20

25

30

35

which reads and authenticates the same, and banking program 26 then deducts the amount of gambling credit

PCT/US95/08206

to be cashed-out of the player's available gambling credit balance. Banking program 26 then generates an authenticatable deduction verification message 70 which indicates that the correct amount was deducted from the player's account. This message is provided to the wagering establishment 16 and read authenticated by the host computer 30. The host an authenticatable computer thereafter generates program reactivation message 72 which is provided to the player 12 for entry into the gaming computer 14 to enable the game program 24 to permit continued gambling with any available gambling credit. The wagering establishment 16 then issues payment to the player 12 for the amount of gambling credit cashedout, in the form of a credit to the player's credit banking wire or some other mutually agreed-upon method of payment. Ιt is also contemplated that where the player 12 has provided with a dedicated gaming computer 14 (e.g., a hand-held device) gambling credit may be cashed-out by simply bringing the gaming computer 14 to the wagering

establishment 16 (or its agent), where either the entire device or a credit module associated therewith is physically returned to facilitate inspection of the apparatus to determine whether any attempts have been made to tamper with or modify the unit the software.

FIGS. 9-12 contain flowcharts of an on-line embodiment schematically depicted in FIG. 2, whereby gaming computer 14 communicates directly through a public telephone network or like communications link 29, such as via a modem, with the host computer 30. The host computer 30 includes gaming software 74 comprised of a game program 76, banking program 77, audit program 78 and authenticatable message read,

15

20

25

30

35

PCT/US95/08206

38

authenticate and generate software 79. To prevent unauthorized access, an external authentication device such as the encryption/decryption device 82 shown schematically in FIG. 2, is used by the player 12 to generate a unique alphanumeric identification message 83 to provide a secure log-on message obtain access to host computer 30 to participate in on-line gambling and/or purchase and redeem gambling In one embodiment, device 82, which looks like a credit-card calculator, includes a display 84, keyboard 8 6 and internal integral encryption/decryption hardware and/or software. a device is currently used for making wireless money transfers, for example, by Fleet Bank. Messages input and output to and from device 82 could be embodied in specific sounds identified through a dedicated sound recognition program which are transmitted to and received from computer 30. The encryption/decryption device 82 is used to generate an authenticatable log-on message 83 by encrypting player 12's personal identification message 32 with a separate verification message 88 provided to player 12 by computer 30. Alternatively, verification message 88 can be "built into" encryption/decryption device 82, such as stored in a ROM chip. Thus, knowledge of the player 12's personal identification message 32, in and of itself, is insufficient to enable an unauthorized third party .such as a minor or known compulsive gambler to obtain access to gambling or to purchase and/or cash-out gambling credit. The gaming software 33 in the host computer 30 can contain appropriate instructions to, in such a case, terminate the on-line connection and prevent further attempts to gain access with that personal particular identification message Moreover, the device 82 can have the banking program 26 associated therewith in order to store gambling credit independent of the gaming computer 14, in which

10

15

20

25

30

35

39

case the exchange of messages between the device 82 and the gaming computer 14 would represent the actual "money". In this manner, gambling credit can be embodied in an apparatus which is structurally independent from the gaming computer 14.

FIG. 9 is a flowchart of the registration and Initially, the player 12 through start-up sequence. gaming computer 14, dials up and connects through the public telephone network 29 to the host computer 30. Player 12 then enters the requested registration unique personal assigned а is and information identification message 32. The player 12 then logs-on If player 12's identity is as described above. confirmed, the host computer 30 then permits wagering to the extent of any available gambling credit, and credit purchase and/or redemption.

As shown in FIG. 10, the purchase credit sequence the on-line embodiment is comprised following series of exchanges between the gaming The host computer 14 and the host computer 30. computer 30 first generates a message which queries the player as to how much gambling credit is desired The player 12 for the particular gambling session. responds at the prompt with the amount of wagering credit requested. The wagering establishment 16 then obtains authorization for the requested amount through agreed upon methods of credit such as a credit card or The approved credit amount like. deposited into player 12's wagering credit account in banking program 77. At this point, the player 12 can proceed to wager on a plurality of games offered by In this connection, the wagering establishment 16. player 12 may at the end of each session, request an authenticatable message number that verifies amount of credit he or she has available from the wagering establishment 16 at that time for purposes of any future dispute resolution.

10

15

20

25

30

35

PCT/US95/08206

FIG. 11 is a flowchart of the gambling sequence in the on-line embodiment. The player 12 first activates electronic 14, establishes computer establishment wagering communications with the computer 30 through the public telephone network 29, log-on secure proceeds with the gaming computer 14 The above. described registers a gambling session message 80 with the host computer 30, which, in turn, makes available to the player 12 for wagering a choice of games of chance, skill or future public events where the outcome is uncertain.

FIG. 12 is a flowchart of the credit cash-out The player 12 sequence in the on-line embodiment. first requests to cash-out all or part of the credit balance in the wagering credit account maintained on host computer 30. The wagering establishment 16 then requests confirmation of the amount of credit to be cashed-out. The player 12 then keys in his or her unique personal identification message 32 to reconfirm This amount is then deducted from the that amount. credit 12's account and the player establishment 16 then authorizes a credit to be made to the player's preassigned credit card, or makes some other agreed-upon method of payment. For additional verification, the encryption/decryption device 82 can be used to provide a verification message to the wagering establishment 16 prior to cashing-out. wagering establishment 16 can Moreover, the provided with a special telephone number to call-back the player 12 to confirm the cash-out which can only then occur when the player 12 calls the wagering establishment 16 back from that number, to provide an additional measure of security.

Alternatively, in another on-line embodiment, the gaming computer 14 includes gaming software 22 as in the first embodiment of FIG. 1, but is on-line with

10

15

20

25

41

the host computer 30 and, through the public telephone network 29, the host computer 30 may or may not serve to regulate or control the gaming software simulation of casino games on the gaming computer 14. example, the host computer 30 can directly keep a record of all or selected activities taking place on the gaming computer 14 for the purpose of additional security. Alternatively, verification or electronic link can be of a control nature to vary the odds of a given wager based upon any of a variety of factors such as gambling duration or other factors such as a progressively increasing jackpot (e.g., in a slot machine simulation).

In the off-line embodiment, at all times, an audit-trail of all transactions can be recorded on data storage media associated with the host computer 30, and optionally, in gaming computer 14 to be ultimately downloaded to or accessed by the wagering establishment 16. Such an audit-trail can also be recorded in the tamper-resistant or tamper-evident read/write data storage media device 28 provided by the wagering establishment 16 to player 12 in the embodiment shown in FIG. 3.

The present invention has been shown and described in what are considered to be the most practical and preferred embodiments. It is anticipated, however, that departures may be made therefrom and that obvious modifications will occur to persons skilled in the art.

5

10

15

20

25

30

PCT/US95/08206

42

#### **CLAIMS**

We Claim:

#### 1. A gaming system, comprising:

a host computer which enables a player at a remote location to purchase and redeem gambling credit and which generates at least one authenticatable message to be provided from said host computer and which reads and authenticates at least one authenticatable message to be provided to said host computer;

an off-line gaming computer remotely disposed from said host computer on which the player wagers on least one wagering opportunity, said gaming computer for generating at least one opportunity and enabling the purchasing, storing and redeeming of gambling credit, said gaming computer further generating said at least one authenticatable message to be provided to said host computer and which and authenticates said at least authenticatable message to be provided from said host computer, wherein said authenticatable messages exchanged between said host computer and said gaming computer enable the player to at least one of purchase and redeem gambling credit.

- 2. The gaming system recited in Claim 1, wherein said gaming computer includes gaming software for generating said at least one wagering opportunity and enabling said purchasing, storing and redeeming of gambling credit, provided on data storage media.
- 3. The gaming system recited in Claim 1, wherein said gaming computer communicates with data memory media disposed within a tamper-proof read/write apparatus.
- 4. The gaming system recited in Claim 2, wherein said gaming computer reads the unique magnetic characteristics of said data storage media for the purpose of creating a unique authenticatable message

15

20

30

35

PCT/US95/08206

to thereby prevent undetectable duplication of data stored on said data storage media.

- 5. The gaming system recited in Claim 1, wherein said gaming computer includes at least one of tamper-resistant and tamper-evident data storage media for recording said authenticatable messages provided to and from said gaming computer to generate an audit trail.
- 6. The remote gaming system recited in Claim 1, wherein said host computer records and stores said messages provided to and from said host computer to generate an audit-trail.
- 7. The remote gaming system recited in Claim 1, wherein said gaming computer is provided with a predetermined amount of casino credit embodied in at least one of data storage media permanently installed on said gaming computer and data storage media removably installed on said gaming computer.
- 8. The remote gaming system recited in Claim 1, wherein said gaming computer includes at least one of voice recognition means for identifying the unique voice characteristics of the player and fingerprint identification means for identifying the unique fingerprint of the player.
- 9. The remote gaming system recited in Claim 1, wherein said wagering opportunity is a game of skill.
  - 10. A gaming system, comprising:
  - a host computer which enables a player networked at a remote location to purchase and redeem gambling credit and wager on at least one wagering opportunity, said host computer generating at least one authenticatable message to be communicated from said host computer and reading and authenticating at least one authenticatable message communicated to said host computer;
    - a gaming computer on which the player wagers on said at least one wagering opportunity where said

10

15

20

25

30

35

44

gaming computer is remotely disposed from said host computer; and

means for generating at least one authenticatable message for communication to and reading and authentication by said host computer to enable the player to access said host computer from said gaming computer.

- 11. The remote gaming system recited in Claim 10, wherein said means for generating said at least one authenticatable message is embodied in an apparatus which is structurally independent of said gaming computer.
- 12. A gaming computer for use in a gaming system for wagering against a wagering establishment;

said gaming computer for generating at least one wagering opportunity and enabling a player at a remote location from said wagering establishment to wager on and accumulate any winnings from said at least one wagering opportunity with gambling credit from said wagering establishment, said gaming computer having gambling credit pre-installed in said gaming computer by at least one of said wagering establishment and an authorized agent of said wagering establishment, said at least one wagering opportunity and gambling credit being enabled by software residing in at least one of tamper-resistant and tamper-evident memory means.

- 13. The gaming computer recited in Claim 12, wherein a predetermined amount of said credit is pre-installed in said gaming computer by said wagering establishment.
- 14. The gaming computer recited in Claim 12, wherein said credit is redeemed from said wagering establishment by providing said wagering establishment with said gaming computer, and said wagering establishment utilizes secure means for checking said gaming computer hardware and software to reveal at

5

10

15

20

25

30

least one of any fraud and tampering.

15. The gaming computer recited in Claim 12, wherein said credit is stored on detachable and at least one of tamper-resistant and tamper-evident data memory media which interface with said gaming computer and where said data memory media are provided to said wagering establishment for credit redemption.

45

- 16. A gaming method by which a player gambles on a gaming computer against a wagering establishment where no on-line connection exists between the gaming computer and the wagering establishment, comprising the steps of:
- (A) purchasing gambling credit from said wagering establishment and at least one of loading and preloading said gambling credit into said gaming computer;
- (B)generating at least one wagering opportunity on said gaming computer;
- (C)proceeding to wager on said at least one wagering opportunity presented on said gaming computer;
- (D)accumulating wagering credits or debits on said gaming computer as a result of the outcome of said at least one wagering opportunity; and
- (E)redeeming gambling credit from wagering establishment by communicating at least one authenticatable message provided from said wagering establishment to said gaming computer which reads and authenticates said at least one authenticatable communicating at least and message, authenticatable message to said wagering where at least one of establishment, authenticatable messages is read and authenticated by said wagering establishment.
- 35 17. A gaming method by which a player having a personal identification message gambles against a wagering establishment on a gaming computer which

10

15

20

25

30

35

presents a computer generated wagering opportunity, where the gaming computer is at a remote location and networked to a host computer associated with the gaming establishment, comprising the steps of:

- (A) establishing a secure on-line link between said gaming computer and said host computer by generating an authenticatable message embodying an identification message known only to the player and the wagering establishment and a separate message, said host computer then authenticating said authenticatable message for verification;
- (B) purchasing gambling credit from said wagering establishment;
- (C)generating at least one wagering opportunity on said gaming computer;
- (D)proceeding to wager on said at least one wagering opportunity presented on said gaming computer;
- (E)accumulating at least one of wagering credits band debits as a result of the outcome of said at least one wagering opportunity; and
- (F) redeeming gambling credit from said wagering establishment.
- 18. The method recited in Claim 17, wherein Step (F) further comprises generating an authenticatable message on said gaming computer embodying an identification message known only to the player and the wagering establishment, said message to be communicated to, read and authenticated by said host computer for verification prior to redeeming said gambling credit.
- 19. The method recited in Claim 17, wherein said authenticatable message is authenticatable and generated by an encryption/decryption apparatus which is structurally independent of said gaming computer.
- 20. The method recited in Claim 17, wherein said gambling credit is embodied in an

15

20

25

30

35

PCT/US95/08206

encryption/decryption apparatus which is structurally independent of said gaming computer.

- 21. A gaming system which enables a player at a remote location to wager against a wagering establishment, wherein the player wagers on a gaming computer where said gaming computer generates at least one wagering opportunity and enables the player to at least one of purchase gambling credit and redeem gambling winnings.
- 22. The gaming system recited in Claim 21, wherein said purchased pre-installed credit is embodied in a tamper-proof plug-in module, provided by the wagering establishment and interfaced with said gaming computer.
- 23. The gaming system recited in Claim 32, wherein said gambling winnings are electronically stored on at least one of a tamper-resistant and tamper-evident plug-in module provided by the wagering establishment and interfaced with said gaming computer.
- 24. The gaming system recited in Claim 21, wherein said gaming computer includes gaming software for generating said at least one wagering opportunity, and said gaming software resides on a tamper-proof chip disposed in an inspectable casing.
- 25. The gaming system recited in Claim 21, wherein said gaming computer includes gaming software for generating said at least one wagering opportunity which includes a random distribution of messages known only to the wagering establishment to prevent unauthorized tampering with said gaming software.
- 26. The gaming system recited in Claim 21, wherein said gaming computer includes gaming software for generating said at least one wagering opportunity, and means for receiving external keys input to said gaming software, said keys being used by said gaming software to function and which disable said gaming

10

15

20

25

30

48

program if said gaming software has been tampered with.

- 27. The gaming system recited in Claim 21, wherein said gaming computer includes gaming software for generating said at least one wagering opportunity upon receiving data from a source external to said gaming computer.
- A gaming system which enables a player at a remote location to participate in a lottery by choosing a selection of wagering elements in a lottery on a gaming computer, where said selection of wagering is combined with at least one authenticatable date/time player's message, identification and computer/software message, into an authenticatable identification message, message representing the player's selection to be read authenticated by a lottery authority registration.
- 29. The gaming system recited in Claim 28, wherein said selection is combined, with at least one of a date/time stamp, player's identification message, and computer/software identification message, into a compressed ticket-message to be reads and authenticates by a lottery authority for registration.
- 30. The gaming system recited in Claim 28, wherein said selection is date/time stamped to form an encrypted ticket message for decryption by a lottery authority to reveal a valid wager.
- 31. A method by which a player participates in a lottery offered by a lottery authority, comprising the steps of:
  - (A) choosing wagering elements for a given lottery event on a gaming computer;
- (B)generating an authenticatable message on said gaming computer which embodies the choice of said wagering elements and at least one of an authenticatable date/time message player's

10

15

20

25

30

35

identification message, computer identification message, and software identification message;

- (C)registering the wager with the lottery authority by communicating said authenticatable message to the lottery authority, where said lottery authority has a host computer which reads and authenticates said authenticatable message to reveal the player's valid choice of wagering elements; and
- (D)confirming the wager by generating an authenticatable registration message on said host computer by combining said authenticatable message with an authenticatable date/time message using a means known only to the lottery authority.
- 32. A gaming computer for use in a gaming system for wagering against a wagering establishment, said gaming computer for generating at least one wagering opportunity and enabling a player at a remote location to wager on and accumulate any winnings from said at least one wagering opportunity with purchased gambling credit embodied in at least one of a tamper-resistant and tamper-evident module provided to said player by said wagering establishment.
- 33. A gaming computer for use in a gaming system for wagering against a wagering establishment, said gaming computer having gaming software for generating at least one wagering opportunity and enabling a player at a remote location to wager on and accumulate any winnings from said at least one wagering opportunity with purchased gambling credit, said gaming software residing on at least one of tamper-resistant and tamper-evident data storage media disposed in an inspectable casing.
- 34. A gaming computer for use in a gaming system for wagering against a wagering establishment, said gaming computer having gaming software for generating at least one wagering opportunity and enabling a player at a remote location to wager on and accumulate

5

10

15

20

25

30

35

any winnings from said at least one wagering opportunity with purchased gambling credit, said gaming software including a random distribution of messages known only to the wagering establishment to enable the wagering establishment to check said distribution of messages to reveal unauthorized tampering with said gaming software.

35. A gaming computer for use in a gaming system for wagering against a wagering establishment, said gaming computer having gaming software for generating at least one wagering opportunity and enabling a player at a remote location to wager on and accumulate any winnings from said at least one wagering opportunity with purchased gambling credit, said gaming computer further including means for receiving external keys for input to said gaming software to enable said gaming software and disable said gaming software if said gaming software has been tampered with.

36. A gaming computer for use in a gaming system for wagering against a wagering establishment, said gaming computer having gaming software for generating at least one wagering opportunity and enabling a player at a remote location to wager on and accumulate one least wagering from said at any winnings opportunity with purchased gambling credit, gaming software further including means for receiving data from a source external to said gaming computer to enable said gaming software.

37. The gaming system recited in Claim 1, wherein said authenticatable messages are encrypted with an encryption key known only to said wagering establishment for decryption by at least one of said host computer and said gaming computer.

38. The gaming system recited in Claim 10, wherein said authenticatable messages are encrypted with an encryption key known only to said wagering


PCT/US95/08206


51

establishment for decryption by at least one of said host computer and said gaming computer.


39. The gaming system recited in Claim 17, wherein said authenticatable messages are encrypted with an encryption key known only to said wagering establishment for decryption by at least one of said host computer and said gaming computer.

Page 54 of 84







PCT/US95/08206



<u>ဗ</u>

PCT/US95/08206





PCT/US95/08206

#### STARTUP AND REGISTRATION SEQUENCE

FIG. 4

PLAYER 12 REGISTERS WITH WAGERING EST. 16

PLAYER 12 IS ASSIGNED PERSONAL ID MESSAGE 32

WAGERING EST. 16
PROVIDES GAMING SOFTWARE 22 INCLUDING

- 1. GAME PROGRAM 24
- 2. BANKING PROGRAM 26
- 3. AUDIT PROGRAM 27 AND A PERSONAL ID MESSAGE 34

PLAYER LOADS GAMING SOFTWARE 22 INTO GAMING COMPUTER 14

PLAYER 12 CALLS WAGERING EST. 16 TO RECEIVE START UP ID MESSAGE 33 PLAYER 12 ENABLES GAM-ING COMPUTER 14 AND RUNS GAMING SOFTWARE 22 CONTANING GAME PROGRAM 24, BANKING PROGRAM 26 AND AUDIT PROGRAM 27

GAMING


**COMPUTER 14** YES QUERIES PLAYER 12-IS THIS A PRACTICE SESSION PRACTICE **GAMES** NO **BANKING** PROGRAM 26 CHECKS CREDIT YES FILE-DOES PLAYER 12 HAVE AVAILABLE **GAMBLING CREDIT** FOR WAGERING ? **GAMBLING** SEQUENCE NO

PURCHASE CREDIT SEQUENCE

07/29

### HANDSHAKE RECOGNITION SEQUENCE

PLAYER 12 CALLS **WAGERING EST. 16 PLAYER 12 COMMUNICATES** RECOGNITION RESPONCE **MESSAGE 44 TO WAGERING** PLAYER 12 COM-**EST. 16 FOR AUTHENTICAT-MUNICATES:** ION 1. PERSONAL ID 32 2. SOFTWARE ID 34 TO WAGERING EST. **HOST COMPUTER 30 READS** 16 AND AUTHENTICATES REC-OGNITION RESPONCE **MESSAGE 44 TO VERIFY HOST COMPUTER 30** PLAYER 12'S IDENTITY AND **GENERATES AND** SOFTWARE IDENTITY WAGERING EST. 16 PROVIDES HANDSHAKE **MESSAGE 42 TO PLAYER VERIFIED PLAYER 12 THEN** 12 PROCEEDS WITH APPRO-PRIATE WAGERING EST.16 INTERACTION **PLAYER 12 ENTERS** HANDSHAKE MESSAGE 42 INTO GAMING COM-**PUTER 14 GAMING SOFTWARE 22 GENERATES AUTHENT-ICATABLE RECOGNITION** FIG. 5 **RESPONSE MESSAGE 44** 



FROM FIG. 6-1 **HOST COMPUTER 30 GEN-ERATES AUTHENTICATABLE NEW CREDIT MESSAGE 52** REPRESENTING AMOUNT OF CREDIT TO BE GRANTED PLAYER 12 ENTERS NEW **CREDIT MESSAGE 52 INTO GAMING COMPUTER 14 GAMING COMPUTER 14.** READS AND AUTHENTICATES **NEW CREDIT MESSAGE 52** AND DISPLAYS AMOUNT OF CREDIT PENDING **GAMING COMPUTER 14 GENERATES AUTHENTICATABLE CREDIT PENDING MESSAGE 54** PLAYER 12 COMMUNICATES CREDIT PENDING MESSAGE 54 TO WAGERING EST. 16 **HOST COMPUTER 30 READS** AND AUTHENTICATES CREDIT PENDING MESSAGE 54 HOST COMPUTER 30 GEN-**ERATES AUTHENTICATABLE** CREDIT RELEASE MESSAGE 56

WAGERING EST. 16 COMM-UNICATES CREDIT RELEASE **MESSAGE 56 TO PLAYER 12** PLAYER 12 ENTERS CREDIT **RELEASE MESSAGE 56 INTO** GAMING COMPUTER 14 **GAMING COMPUTER 14** READS AND AUTHENTICATES **RELEASE MESSAGE 56 AND DISPLAYS NEW CREDIT** BALANCE **GAMING COMPUTER 14** GENERATES AUTHENTICAT-ABLE CREDIT RELEASE **VERIFICATION MESSAGE 58 PLAYER 12 COMMUNICATES CREDIT RELEASE VERIFI-CATION MESSAGE 58 TO** WAGERING EST. 16 **HOST COMPUTER 30 READS AND AUTHENTICIATES** CREDIT RELEASE VERIFI-**CATION MESSAGE 58 AND GENERATES AN AUTHENT-**ICATABLE PROGRAM REACTIVIATION MESSAGE 60 FIG. 6-2

(CONTINUED - 3)

10/29

FIG. 6-3

FROM FIG. 6-2

WAGERING EST. 16 CHARGES PLAYER 12 FOR VALUE OF GAMBLING CREDIT PURCHESED

WAGERING EST. 16 PROVIDES PLAYER 12 WITH AUTHENTICATABLE PROGRAM REACTIVATION MESSAGE 60

GAMING COMPUTER 14
READS AND AUTHENTICATES
PROGRAM REACTIVATION
MESSAGE 60


GAME PROGRAM 24 IS REACTIVATED FOR USE BY PLAYER 12


WO 96/00950

11/29

## WAGERING SEQUENCE (OFF-LINE)

# FIG. 7A





PCT/US95/08206

### WAGERING SEQUENCE (OFF-LINE) NON-REGISTERED LOTTERY

# FIG. 7B-1

PLAYER 12 ACTIVATES GAMING COMPUTER 14 AND LOGS ON WITH A PERSONAL IDENTIFICATION MESSAGE 204 WHICH HAS BEEN ASSIGNED BY THE LOTTERY AUTHORITY 16 WITH WHOM THE PLAYER 12 HAS PREREGISTERED

PLAYER 12 SELECTS A SPECIFIC LOTTERY TO PLAY (e.g. LOTTO)

LOTTERY TICKET LAYOUT UNIQUE FOR THAT SPECIFIC LOTTERY IS GENERATED BY GAME PROGRAM 24 AND DISPLAYED ON THE SCREEN OF THE GAMING COMPUTER 14

PLAYER 12 FILLS OUT THE TICKET BY "PICKING "THE DESIRED WAGERING ELEMENTS (NUMBERS) 206

PLAYER PRESSES A KEY TO CONFIRM THAT THE NUMBERS PICKED ARE CORRECT - CHANGES ARE MADE IF NEEDED

TO FIG. 7B-2

PCT/US95/08206

### FIG. 7B-2

FROM FIG. 7B-1

PROGRAM CREATES A COMPRESSED MULTI-DIGIT AUTHENTICATABLE TICKET MESSAGE 208 BY COMBINING THE NUMBERS SELECTED 206 WITH AN UNFORGEABLE AUTHENTICATED DATE / TIME MESSAGE 210, AND OPTIONALY THE PLAYER'S IDENTIFICATION CODE 204 AND AN INTERNAL COMPUTER OR SOFTWARE ID CODE 212

THE AUTHENTICATABLE TICKET MESSAGE 208 IS STORED IN A FILE OF THE GAME PROGRAM 24 OF GAMING COMPUTER 14

( OPTIONAL ) THE PLAYER 12 MAY
PRINT OUT THE TICKET WITH THE
NUMBERS PICKED FOR USE AS A
PHYSICAL COPY-THE PRINTOUT SHOWS
THE NUMBERS CHOSEN 206 AND THE
AUTHENTICATABLE TICKET MESSAGE
208

PLAYER REPEATS THIS PROCESS AS MANY TIMES AS DESIRED, ONCE FOR EACH "TICKET"

15/29

WAGERING SEQUENCE (OFF-LINE) REGISTERED LOTTERY

### .

### FIG. 7C-1

WHEN PLAYER 12 IS READY TO PURCHASE AND REGISTER THE TICKET(S), THE PLAYER 12 COMMUNICATES WITH THE LOTTERY AUTHORITY 16

THE LOTTERY AUTHORITY 16 UTILIZES
A PUBLIC TELEPHONE NETWORK 40 WITH
INTERACTIVE VOICE CAPABILITIES
WHICH IS ON-LINE WITH THE HOST
COMPUTER 30

THE PLAYER 12 USES A TOUCH-TONE TELEPHONE 36 TO ENTER THE PER-SONAL IDENTIFICATION MESSAGE 204

( OPIONAL ) FOR ADDITIONAL VERIFICATION, THE PLAYER 12 ENTERS THE COMPUTER ID OR SOFTWARE ID CODE 212

THE LOTTERY AUTHORITY 16 ASKS
THE PLAYER 12 TO SELECT FROM
A MENU OF LOTTERIES STILL OPEN
FOR TICKET PURCHASING- THE
PLAYER 12 USES THE TELEPHONE
PAD TO KEY IN A NUMBER INDICATING
THE LOTTERY OF CHOICE

TO FIG. 7C-2

16/29

### FIG. 7C-2 FROM FIG. 7C-1

THE PLAYER 12 INDICATES HOW THE "TICKETS" ARE TO BE PAID FOR-THE LOTTERY AUTHORITY 16 ACCEPTS OR DECLINES THE PLAYER'S CHOICE OF PAYMENT METHOD (IF DECLINED, THE CALL IS TRANSFERRED TO A LIVE OPERATOR)

THE PLAYER 12 ENTERS THE AUTHEN-TICATABLE TICKET MESSAGE 208-THE **HOST COMPUTER 30 READS AND AUTHENTICATES THE MESSAGE 208** TO REVEAL A FRAUDULENT TICKET **MESSAGE 208** 

THE HOST COMPUTER 30 ENSURES THAT THE TICKET MESSAGE 208 REPRESENTS A SET OF VALID LOTTERY TICKET NUMBER CHOICES 206, AS WELL AS A VALID IDENTIFICATION MESSAGE 204

(OPTIONAL) THE PLAYER 12 MAY ASK THE LOTTERY AUTHORITY 16 TO READ BACK THE NUMBERS EMBODIED IN THE TICKET MESSAGE 208-A COMPUTER **GENERATED VOICE CONFIRMS THE** PLAYER'S SELECTION OF NUMBERS AS **EMBODIED IN TICKET MESSAGE 208-AT** THIS POINT THE PLAYER MAY, FOR ANY REASON, CHOOSE TO CANCEL THIS "TICKET" AND GO ON TO REGISTERING THE NEXT "TICKET"

CONTINUED ON FIG. 7C-3

17/29

# FIG. 7C-3

(CONTINUED FROM FIG. 7C-2)

IF THE TICKET MESSAGE 208 IS VALID,
THEN AN AUTHENTICATABLE MESSAGE
208 IS GENERATED BY THE HOST COMPUTER 30- THE REGISTRATION MESSAGE
218 INCORPORATES BOTH THE ORIGINAL
TICKET MESSAGE 208 AND AN AUTHENTICATED DATE / TIME MESSAGE 220- THE
LOTTERY AUTHORITY 16 PROVIDES THE
REGISTRATION MESSAGE 218 TO THE
PLAYER 12 AND THE HOST COMPUTER
30 FOR FUTURE REFERENCE

( OPTIONAL ) THE LOTTERY AUTHORITY 16 MAY AT THIS POINT ASK THE PLAYER 12 TO CONFIRM THE PURCHASE OF THIS TICKET BY ENTERING A YES / NO DIGIT-ONCE CONFIRMED, THE "TICKET" IS NON-REFUNDABLE

( OPTIONAL ) THE LOTTERY AUTHORITY
16 MAY MONITOR WITH A PRESET LIMIT,
THE NUMBER OF "TICKETS" ANY PLAYER
12 CAN PURCHASE IN A GIVEN TIME PERIOD
AND REJECT A REQUEST TO PURCHASE A
"TICKET"

TO FIG. 7C-4

18/29

### FIG 7C-4

FROM FIG. 7C-3

(OPTIONAL) THE PLAYER 12 CAN ENTER
THE AUTHENTICATABLE REGISTRATION
MESSAGE 218 FOR STORAGE IN GAMING
14-THE REGISTERATION MESSAGE 218
SERVES AS AN ABSOLUTE RECEIPT THAT A
SPECIFIC SET OF NUMBERS WAS REGISTERED WITH THE LOTTERY AUTHORITY 16
ON A SPECIFIC DAY AND AT A SPECIFIC TIME

( OPTIONAL ) THE PLAYER 12 MAY PRINT OUT FULL TICKET RECEIPTS FROM GAMING COMPUTER 14 FOR RECORD KEEPING

THE PROCESS IS REPEATED FOR EACH TICKET REGISTERED

WHEN FINISHED, THE PLAYER 12 COMMUNICATES TO THE LOTTERY AUTHORITY 16 THAT THERE ARE NO MORE " TICKETS " TO REGISTER

AS PART OF THE NORMAL ONGOING LOTTERY PROCESS, THE WINNING NUMBERS ARE DRAWN

TO FIG. 7C-5

19/29

PCT/US95/08206

# FIG. 7C-5

FROM FIG. 7C-4


THE HOST COMPUTER 30 OF THE LOTTERY AUTHORITY 16 COMPARES THE WINNING NUMBERS AGAINST ALL TICKETS WHICH HAVE BEEN REGISTERED

WINNINGS ARE AWARDED

PCT/US95/08206

20/29

### CREDIT CASH-OUT SEQUENCE (OFF-LINE)



FROM FIG 8 **WAGERING EST. 16 PROVIDES AUTHENTI-**CATABLE CASH-OUT ACKNOWLEDGEMENT **MESSAGE 68 TO** PLAYER 12 **PLAYER 12 ENTERS** CASH-OUT ACKNOW-LEDGEMENT MESSAGE **68 INTO GAMING COMPUTER 14 WHICH READS AND AUTHENTI-**CATES MESSAGE 68 **GAMING COMPUTER 14 GENERATES AUTHEN-**TICATABLE DEDUCTION **VERIFICATION MESSAGE** 70 PLAYER 12 COMMUNICATES DEDUCTION VERIFICATION MESSAGE 70 TO WAGERING **EST. 16 HOST COMPUTER 30 READS** AND AUTHENTICATES DEDUCTION VERIFICATION

MESSAGE 70

**GAMING COMPUTER 14** DISPLAYS REDUCED **CREDIT BALANCE TO** PLAYER 12 **WAGERING EST. 16 CREDITS PLAYER** (e.g., CREDIT CARD) FOR VALUE OF GAM-**BLING CREDIT CASHED-**OUT **PLAYER 12 ENTERS** PROGRAM REACTIVAT-**ION MESSAGE 72 INTO GAMING COMPUTER 14 GAME PROGRAM 24** IS REACTIVATED FOR CONTINUED GAMBLING

FIG 8

PCT/US95/08206

#### START-UP AND REGISTRATION SEQUENCE

FIG. 9

PLAYER 12 WITH GAMING COMPUTER 14 DIALS UP THROUGH PUBLIC TELEPHONE NETWORK 40 AND CON-NECTS WITH HOST COMPUTER 30

PLAYER 12 ENTERS REGISTRATION INFORMATION

PLAYER 12 IS ASSIGNED PERSONAL ID MESSAGE 32

PLAYER 12 IS PROVIDED WITH VERIFICATION MESSAGE 88

PLAYER 12 ENTERS PERSONAL IDENTIFICATION MESSAGE 32 AND VERIFICATION MESSAGE 88 INTO AUTHENTICATION READ / AUTHENTICATE / GENERATE DEVICE 82

DEVICE 82 GENERATES AUTHENTICATABLE LOG-ON MESSAGE 83

TO FIG. 9 (CONTINUED)

PCT/US95/08206

23/29




FIG. 9

(CONTINUED)

## PURCHASE CREDIT SEQUENCE (ON-LINE)

FIG. 10

HOST COMPUTER 30 PROMPTS
PLAYER 12 - HOW MUCH CREDIT
IS DESIRED?

PLAYER 12 RESPONDS AT PROMPT
WITH AMOUNT OF GAMBLING
CREDIT REQUESTED

HOST COMPUTER 30 OBTAINS
CREDIT CARD AUTHORIZATION
FOR REQUESTED AMOUNT


APPROVED CREDIT AMOUNT
IS DEPOSITED IN PLAYER 12'S
GAMBLING CREDIT ACCOUNT
IN BANKING PROGRAM 77

PLAYER 12 CAN WAGER ON

PLAYER 12 CAN WAGER ON GAMING COMPUTER 14 ON A PLURALITY OF GAMES OFFERED BY WAGERING EST. 16 TO THE EXTENT OF AVAILABLE GAMBLING CREDIT

### WAGERING SEQUENCE (ON-LINE)

# FIG. 11



WO 96/00950

26/29

## CREDIT CASH-OUT SEQUENCE (ON-LINE)

## FIG. 12


PLAYER 12 REQUESTS CASH-OUT OF ALL OR PART OF GAMBLING CREDIT BALANCE IN GAMBLING CREDIT ACCOUNT IN BANKING PROGRAM 77

HOST COMPUTER 30 REQUESTS CONFIRMATION OF CASH-OUT AMOUNT

PLAYER 12 ENTERS PERSONAL ID AUTHENTICATABLE MESSAGE 32 INTO GAMING COMPUTER 14 TO RECONFIRM CREDIT AMOUNT

HOST COMPUTER 30 READS AND AUTHENTICATES MESSAGE 32 AND THE AMOUNT OF GAMBLING CREDIT TO BE CASHED-OUT IS DEDUCETED FROM PLAYER'S GAMBLING CREDIT ACCOUNT

WAGERING EST. 16 AUTHORIZES
A CREDIT TO PLAYER'S PREREGISTERED CREDIT CARD OR
SOME OTHER FORM OF MUTUALLY
AGREED UPON PAYMENT



PCT/US95/08206

WO 96/00950

28/29

FIG. 15A





FIG. 15B



WO 96/00950

29/29

FIG. 15C





FIG. 15D



## INTERNATIONAL SEARCH REPORT

International application No. PCT/US95/08206

A. CLASSIFICATION OF SUBJECT MATTER  IPC(6) :G06F 155:00, 161:00				
10.01 .264/410				
According to International Patent Classification (IPC) or to both national classification and IPC  B. FIELDS SEARCHED				
B. FIELDS SEARCHED  Minimum documentation searched (classification system followed by classification symbols)				
U.S. : 364/410, 411, 412; 235/375, 379, 380, 381; 380/3-4, 22-25; 273/433-436, 439, 138A, 138R; 382/115, 124				
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched				
NONE				
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)				
NONE				
C. DOCUMENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.	
Υ	US, A, 5,038,022 (LUCERO) 06 abstract and figs. 1-4.	August 1991, see the	1-3, 5-11, 16- 20, 37-39	
Υ	US, A, 4,317,957 (SENDROW) (abstract, figs. 1-2.	2 March 1982, see the	1-3, 5-11, 16- 20, 37-39	
Υ .	US, A, 5,083,271 (THACHER ET A	AL) 21 January 1992, see	10-11, 17-20, 38-39	
Y	US, A, 5,096,195 (GIMMON) 1 abstract and figs. 1-4.	7 March 1992, see the	12-15, 21-36	
А, Р	US, A, 5,351,970 (FIORETTI) 04 abstract and fig. 2.	October 1994, see the	1-39	
А, Р	US, A, 5,413,357 (SCHULZE ET A abstract.	L) 09 May 1995, see the	1-39	
X Further documents are listed in the continuation of Box C. See patent family annex.				
Special categories of cited documents:     T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the				
*A* document defining the general state of the art which is not considered principle or theory underlying the invention to be part of particular relevance:  "X" document of particular relevance; the claimed invention cannot			he claimed invention cannot be	
"E" earlier document published on or after the international filing date considered novel or cannot be considered to myorve an inventive see when the document is taken alone				
cited to establish the publication date of another classical of outer of particular relevance; the classical inventor expecial reason (as specified)  one document of particular relevance; the classical inventor expectation of particular relevance in the particular relevance inventor expectation of particular relevance inventor expectation of particular relevance in the particular relevance in the particular relevance in th			e sten when the gocullicul is	
2004	cument referring to an oral disclosure, use, exhibition or other	being obvious to a person skilled in t	the art	
the	P° document published prior to the international filing date but later than "&" document member of the same patent family			
Date of the	Date of the actual completion of the international search  Date of mailing of the international search report			
11 SEPTEMBER 1995 25 SEP 1995				
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks ROBERT A. WEINHARDT				
Washingto	Washington, D.C. 20231 Telephone No. (703) 305-3800			
Facsimile N	40 1/U313U3-32-4			

Form PCT/ISA/210 (second sheet)(July 1992)\*

## INTERNATIONAL SEARCH REPORT

International application No. PCT/US95/08206

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A, P	US, A, 5,380,007 (TRAVIS ET AL) 10 January 1995, see the abstract.	1-39
	ŕ	
	•	·
		·
		·
•		

Form PCT/ISA/210 (continuation of second sheet)(July 1992)\*